

R^8 represents a hydrogen atom or an alkyl group,

R^9 represents OR^{10} or $NR^{11}R^{12}$,

R^{10} represents an unsubstituted or substituted alkyl group with 1 to 6 carbon atoms,

R^{11} represents an unsubstituted or substituted alkyl group with 1 to 6 carbon atoms,


R^{12} represents a hydrogen atom or an unsubstituted or substituted alkyl group with 1 to 6 carbon atoms.

R^{13} represents an unsubstituted or substituted alkyl group and

Z represents a hydrogen atom or a group which may be split off under the conditions of chromogenic development,

wherein the total number of carbon atoms of the alkyl group R^{10} to R^{13} in a coupler molecule is 8 to 18.

17. The material according to claim 1, wherein the amount of compound (II) is 50 mg to 5,000 mg per kg Ag.
18. The material according to claim 17, wherein the amount of compound (II) is 200 mg to 2,000 mg per kg Ag.
19. The material according to claim 1, wherein the red-sensitive layer contains at least one compound of formula




wherein


R^{14} represents a substituent and

n represents a number 1, 2 or 3.

20. The material as claimed in claim 19, wherein the compound of formula III is



21. The material according to claim 19, wherein the amount of compound (III) is 100 mg to 5,000 mg per kg Ag.
22. The material according to claim 19, wherein the amount of compound (III) is 500 mg to 3,000 mg per kg Ag.
23. The material according to claim 1, wherein the red-sensitive layer contains a compound of formula



wherein

R^{17} to R^{24} independently represent H, alkyl, alkoxy, halogen, aryl, CN, 2- thienyl, 3- thienyl, N-pyrrolyl, N-indolyl, benzthienyl, CF_3 , 2- furanyl or 3-furanyl or

R^{18} and R^{19} or R^{19} and R^{20} or R^{21} and R^{22} and R^{23} represent the remaining members of a carbocyclic ring system,

X^1 and X^2 independently represent O, S, Se or N- R^{27} ,

R^{25} and R^{26} independently represent optionally substituted alkyl or R^{25} together with L^1 or R^{26} together with L^5 represent the remaining members of a 5- to 7-membered saturated or unsaturated ring,


L^1 to L^5 independently represent optionally substituted methine groups of L^2 , L^3 and L^4 together represent the members of a 5- to 7-membered ring,

m represents 0 to 1,

R^{27} represents C_1 to C_4 alkyl and

M represents a counterion optionally necessary for charge compensation, wherein X^1 and X^2 independently of one another represent S or Se if m is 0.

24. The material according to claim 23, wherein the compound (IV) was used in an amount of 5 μmol to 250 μmol per mol silver halide.
25. The material according to claim 23, wherein the red-sensitive layer contains a compound of formula



wherein

R^{44} to R^{51} independently represent H, alkyl, alkoxy, halogen, aryl, CN, 2- thienyl, 3- thienyl, N-pyrrolyl, N-indolyl, benzthienyl, CF_3 , 2- furanyl or 3-furanyl or

R^{45} and R^{46} or R^{46} and R^{47} or R^{48} and R^{49} or R^{49} and R^{50} represent the remaining members of a carbocyclic ring system,

X^3 represents O, S, Se or N-R^{54} ,

X^4 represents O or N-R^{55} ,

R^{52} and R^{53} independently represent optionally substituted alkyl or R^{52} together with L^6 or R^{53} together with L^8 represent the remaining members of a 5- to 7-membered saturated or unsaturated ring,

L^6 to L^8 independently represent optionally substituted methine groups,

R^{54} and R^{55} independently represent C_1 to C_4 alkyl and

M represents a counterion optionally necessary for charge compensation.

26. The material according to claim 23, wherein the compound (IV) is used in an amount of 50 μ mol to 200 μ mol per mol silver halide.
27. The material according to claim 1, wherein the material is a color negative material.
28. A method for producing a positive image to be viewed by reflection from a color negative, which comprises exposing the color photographic material according to claim 1.
29. The method according to claim 27, wherein exposing is carried out with a scanning copier.
30. The method according to claim 27, wherein exposing is carried out with an analogue copier.--

REMARKS

The applicants respectfully request that the preliminary amendment be entered prior to fee calculation and examination. The applicants have rewritten claims 2-15 into proper U.S.